

# DHSD — Decking Screw Hardwood-to-Hardwood (Collated & Loose)

**Material**

305 Stainless Steel



**Size:** See the table below

**Features & Benefits**

- Compact Head for countersinking
- Unique ribbed shank provides greater strength and holding power
- Design virtually eliminates splitting of hardwood decking
- No pre-drilling required in hardwood joists
- Stainless Steel has the ductility to allow for movement of timber decking

**Applications**

- Hardwood-to-Hardwood decking
- This screw is available for both hand-drive and collated Quik Drive<sup>®</sup> system



**Specifications - Hand-drive**

Model No.	Size	Thread	Point	Material & Finish	Box Qty	Drive Size	Replacement Bit
SSDHSD50R250	12G x 50mm	Coarse Threads	Hardwood Drill Point	305 Stainless Steel	250	#2 Square Drive	BIT2S-2-RC3
SSDHSD50R1100					1100		
SSDHSD60R250	12G x 60mm				250		
SSDHSD60R1100					1100		



**Specifications - Quik Drive<sup>®</sup> Collated**

Model No.	Size	Thread	Point	Material & Finish	Box Qty	Drive Size	Replacement Bit
SSDHSD50S	12G x 50mm	Coarse Threads	Hardwood Drill Point	305 Stainless Steel	1000	#2 Square Drive	BIT2S-RC10
SSDHSD60S	12G x 60mm						

These coated fasteners possess a level of corrosion resistance that makes them suitable for use in some exterior and corrosive environments and with some preservative-treated timber. For applications in higher-exposure applications, consider Type-300 series stainless-steel fasteners for superior corrosion resistance. Bit(s) included with every box of screws. Pre-drilling and countersink may be necessary at ends, butt joints, and on applications where denser material is used. Follow board manufacturers recommendations where applicable.



**Raised Compact Head** for a decorative finish



**Ribbed Shank** provides greater holding power



**Hardwood Drill Point** virtually eliminates splitting and the need for predrilling

**Deck-Drive<sup>™</sup>**

**Quik Drive<sup>®</sup>**