## **DWCZ** — Plasterboard Screw Timber Frame (Collated)



Material: Carbon Steel

Finish: Yellow Zinc Corrosion Resistance Level

Size: See the table below

#### Features & Benefits

- Bugle Head for clean, flush, countersunk finish
- Sharp Point for fast starts saving time on the worksite
- Coarse Threads ideal for plasterboard to timber applications
- #2 Phillips drive

### **Applications**

• Plasterboard-to-Timber Frame





Bugle Head for countersink finish in drywall



Coarse Threads ideal for plasterboard to timber applications



# Quik Drive®

#### Specifications - Quik Drive® Collated

Model No.	Size	Thread	Point	Material & Finish	Box Qty	Drive Size	Replacement Bit
DWCZ114PSA	6G x 32mm	Coarse Threads	Sharp Point	Carbon Steel Yellow Zinc	2500	#2 Phillips	BIT2P-RC10
DWCZ158PSA	6G x 42mm						

These coated fasteners possess a level of corrosion resistance that makes them suitable for use in some exterior and corrosive environments and with some preservative-treated timber. For applications in higher-exposure applications, consider Type-300 series stainless-steel fasteners for superior corrosion resistance. Bit(s) included with every box of screws. Pre-drilling and countersink may be necessary at ends, butt joints, and on applications where denser material is used. Follow board manufacturers recommendations where applicable.