

# Trim Head Exterior Timber Screw (Collated & Loose)

**Material**

305 Stainless Steel



**Size:** See the table below

**Features & Benefits**

- No pre-drilling required.
- Consistent countersink means no punching required
- Trim Head for clean and less noticeable finish
- Unique Box Threads design with raised-ridge technology greatly reduces driving torque
- Easy to reverse out means no broken boards if you need to remove the fastener
- BRANZ Appraised for performance you can trust\*
- Available in collated or loose
- Suitable for NZS 3604 extra high wind zones

**Applications**

- Weatherboard Cladding
- Window & Door Trims, Door Jambs, Boxed Corners
- Timber Cladding
- Timber-to-Timber
- Wall Cladding

**Approvals**

- BRANZ Appraisal No. 1044\*

\*Loose offering not included in current BRANZ Appraisal



**Trim Head** ideal for a less noticeable fixing



**Box Threads** greatly reduces driving torque



**Sharp Point with Nib** penetrates softwood timber products with ease



**Specifications - Hand-drive (Loose)**

Model No.	Size	Thread	Point	Material & Finish	Box Qty	Drive Size	Replacement Bit
S08250WPP	8G x 64mm	Box Threads	Sharp Point with Nib	305 Stainless Steel	70	T-20, 6-lobe	BIT20T-2-R2
S08300WPP	8G x 76mm				350		
S09350WP1	9G x 89mm				350		

**Deck-Drive™**



**Specifications - Quik Drive® (Collated)**

Model No.	Size	Thread	Point	Material & Finish	Box Qty	Drive Size	Replacement Bit
SSDTH2SA	7G x 50mm	Box Threads	Sharp Point with Nib	305 Stainless Steel	2000	#2 Square Drive	BIT2S-RC10
SSDTH212S	7G x 65mm				1000		
SSDTH3S	7G x 75mm				1000		

**Quik Drive®**

PLEASE NOTE: Bit(s) included with every box of screws. Pre-drilling and countersink may be necessary at ends, butt joints, and on applications where denser material is used. Follow the board manufacturer's recommendation where applicable. WARNINGS: Always wear PPE during installation. Corrosive environments, exposure to water, salt air, or chemicals (including some wood preservatives) may cause early failure.