

# Quik Drive® Auto-Feed Screw Driving Systems

## Reduce Time and Labour Cost — The Quik Drive® Advantage

Maximise your fastening efficiency on a broad range of applications from decking and siding to roofing and steel framing and everything in-between.

Simpson Strong-Tie's Quik Drive® Auto-Feed Screw Driving Systems feature quick loading yellow strip screws, precise countersink adjustment, and a patented auto advance mechanism. This enables you to improve the quality and speed of your work while reducing wastage and money spent on the job.



### Features & Benefits

- Ergonomic and Health and Safety benefits — Extensions allow stand-up driving for appropriate applications, making work less stressful on the back, shoulders and knees
- Precise self-locking depth adjustments allow for consistent fastener drive depth
- Collated Quik Drive® fastener strips are engineered to hold screws away from the surface and not scratch the jobsite materials
- QuikLock™ coupling allows for easy assembly and dis-assembly
- Unique design limits jamming of the collated screw strip
- Easy to clean and maintain
- Large range of screws to suit a diverse range of applications
- Driver bit(s) supplied with every box of collated screws
- Compatible with most major manufacturers' screwdriver motors


### Adjustable Countersink

The Quik Drive® Auto-Feed Screw Driving System features a countersink adjustment function that allows the user to adjust the driving depth of the fastener to ensure consistent fastener penetration based on the material and application.

Once the countersink depth is set the driver bit will automatically disengage from the head of the fastener once the desired penetration depth is achieved, thus preventing over-driving. With screws driven at the desired depth every time without the need to slow down or check each fastener you can work faster with more consistent results.



**PDECKNC-RC** (sold separately)  
The decking nose clip positions the screw on the deck board and positions it over the joist for an easy, uniform installation from a standing position.




Look for the yellow strip. Your guarantee of quality and performance from **Genuine Quik Drive® Fasteners**.

# Quik Drive® Auto-Feed Screw Driving Systems

## Collated Strip Loading

The Quik Drive® Auto-Feed Screw Driving System reloads quickly by simply feeding (sliding) the rigid strip into the short channel until you hear a click. Every Quik Drive® collated screw strip has a pointed end so there is no doubt which way they are loaded.



# Quik Drive®

## Specifications - Quik Drive® Systems

Model No.	Description	Collated Screws	Dimensions (mm)	Applications
PRO300SKA	PRO300 System: PRO300 Attachment, Extension, Rugged toolbox, Adaptor. Screwgun not included, but required.	8G-12G 40mm – 75mm	610 x 310 x 115	Flooring Decking Weatherboard
PRO300SM25KA	PRO300 System: PRO300 Attachment, Extension, Rugged toolbox, Makita® FS2300 Screwgun fitted with MAA3G2 adaptor			
PROSDDKA	PRO300 Attachment, PRO200 Attachment, Extension, Rugged toolbox, Adaptor. Screwgun not included, but required.	PRO300 Attachment: 8G-12G, 40mm – 75mm		Flooring Decking Weatherboard Plasterboard Underlay
PROSDDM25KA	PRO300 & PRO250 Systems: PRO300 Attachment, PRO200 Attachment, Extension, Rugged toolbox, Makita® FS2300 Screwgun fitted with MAA3G2 adapto	PRO200 Attachment: 6G-8G, 25mm – 50mm		
PRO300SG2DC2KA	PRO300 Cordless System, includes DeWalt® DCF622 screw gun fitted with DWA3G2 adaptor, Multivolt charger, 2 x 18V 5.0Ah batteries	8G-12G 40mm – 75mm		Flooring Decking Weatherboard
PRO300SG2DC2KA-S	PRO300 Cordless System, includes DeWalt® DCF622 screw gun fitted with DWA3G2 adaptor, (Skin only)			

Note: Get the right adaptor for your model screwgun by contacting your Simpson Strong-Tie representative.

## Specifications - Quik Drive® Attachments

Model No.	Description	Collated Screws	Applications
QDPRO200G2A	PRO200 Attachment. Includes carry case	6G-8G 25mm – 50mm	Plasterboard, Underlay
QDPRO250G2A	PRO250 Attachment. Includes carry case	8G-12G 40mm – 65mm	Flooring, Decking, Weatherboard
QDPRO300SG2A	PRO300 Attachment. Includes carry case	8G-12G 40mm – 75mm	Flooring, Decking, Weatherboard
QDHSD60	HSD60 Attachment. Includes carry case	14G 45mm – 60mm	Heavy Duty
QDBPC50E	BPC50 Attachment. Includes carry case	CSA Series 35mm – 50mm	Engineered Wood (CLT and Glulam) Timber Connectors

# Quik Drive® Auto-Feed Screw Driving Systems

## Specifications - Quik Drive® Adaptors

Model No.	Description	Model No. on Adaptor
DWAG2	DeWalt® adaptor suits 256, 266	[105777]
DWA3G2	DeWalt® adaptor suits DCF622	[105449]
HIAG2	Hitachi® adaptor suits W6V3, W6VA3, W6VB3, W8VB2, W8V3	[201110]
MAAG2	Makita® adaptor suits 6801, 6802*, 6823, 6824, 6825, 6826 (requires modification)	[105590]
MAA3G2	Makita® adaptor suits DFS250 (cordless Screwgun), FS2500, FS2300, FS6300 (remove wire and circlips)	[201143]
MIAG2	Milwaukee® adaptor suits DWSE4000Q, TKSE2500Q	[105597]

## Specifications - Quik Drive® Replacement Parts & Accessories

Model No.	Name	Description
PDECKNC-RC	Deck Clips	Decking clip set for screw and space setting 3mm and 5mm (Suits PRO250 and PRO300 only)
BITKEY	Bit Key	Bit release key for Quik Drive® attachments
G2HANDLE	Handle	Extension replacement handle, G2 Series
PFEEDPAWL	Feed Pawl	Feed Pawl, for PRO250, PRO300, PROPP150, PROPH attachments
PFEEDPAWLTL	Feed Pawl	Feed Pawl, twist lock for PROHSD, SDS, PRO200 attachments
QUIVER	Screw Quiver	Screw quiver, worn on belt, carries up to 500 screws
PMANDREL65	Mandrels	Mandrel for PRO200, PROPH attachments 160mm long
PMANDREL75	Mandrels	Mandrel for PRO250, PRO300, SDS, PROHSD attachments 190mm long
MANDREL128E	Mandrels	Mandrel for QDBCP50E attachment 128mm long
PMANDREXTG2	Mandrels	Mandrel for QDEXTG2 extension 515mm long
QDEXTG2	Extension Pole	Extension Pole, 515mm, G2 series (Standard)
QDEXTG2-16	Extension Pole	Extension Pole, 400mm, G2 series (Short)
NPA2G2	Nose Piece	50mm Nose piece to suit SDS Attachment
NPA25G2	Nose Piece	65mm Nose piece to suit SDS Attachment (does not work with 65mm Bugle Head screws)
NPA3G2	Nose Piece	75mm Nose piece to suit SDS Attachment

## Specifications - Quik Drive® Driver Bits

Model No.	Driver Bits	Box Qty
BIT2P-RC10	#2 Phillips	10
BIT2S-RC10	#2 Square	
BIT2SU-RC10	#2 Square Undersize	
BIT3S-RC10	#3 Square	
BIT3SU-RC10	#3 Square Undersize	
BITTX25-RC10	T-25, 6-lobe	
BITLT20E-RC10	T-20, 6-lobe for QDBCP50E	
QRP2-50	#2 Phillips	50
QRS2-50	#2 Square	
QRSU2-50	#2 Square Undersize	
QRS3-50	#3 Square	
QRSU3-50	#3 Square Undersize	